Notice of Allowability	Application No.	Applicant(s)
	10/618,130	KAMM ET AL.
	Examiner	Art Unit
	William C. Dowling	2851
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in ) or other appropriate communication is sufficient in sufficiency.	this application. If not included nication will be mailed in due course. <b>THIS</b>
1. $\boxtimes$ This communication is responsive to <u>Amendment filed 7/2</u>	<u>1/2004</u> .	
2. The allowed claim(s) is/are 21-37.		
3. $\boxtimes$ The drawings filed on <u>11 July 2003</u> are accepted by the E	xaminer.	
<ul> <li>4.  Acknowledgment is made of a claim for foreign priority u <ul> <li>a)  All</li> <li>b)  Some*</li> <li>c)  None of the:</li> </ul> </li> <li>1.  Certified copies of the priority documents have</li> <li>2.  Certified copies of the priority documents have</li> <li>3.  Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul>	e been received. e been received in Applicatior	ı No
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		a reply complying with the requirements
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
6. CORRECTED DRAWINGS ( as "replacement sheets") mu	st be submitted.	
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR each sheet. Replacement sheet(s) should be labeled as such in	1.84(c)) should be written on the	e drawings in the front (not the back) of R 1.121(d).
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)  1.  Notice of References Cited (PTO-892)  2.  Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Su	ormal Patent Application (PTO-152) mmary (PTO-413), Mail Date
3. Information Disclosure Statements (PTO-1449 or PTO/SB/		Amendment/Comment
Paper No./Mail Date  4.  Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ☐ Examiner's \$ 9. ☐ Other	Statement of Reasons for Allowance  William C. Dowling Primary Examiner  Art Unit: 2851

Art Unit: 2851

## EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Dennis Smid on August 19, 2004.

The application has been amended as follows:

In Claim 27, Line 2, ", in particular "has been deleted.

In Claim 28:

Line 2, " , in particular " has been deleted.

Line 3, ", in particular "has been changed to - and --.

Line 4 " in particular " has been deleted.

In Claim 30 ", in particular a high pressure gas discharge lamp arrangement, a LED arrangement or the like " has been deleted.

In Claim 31, everything following "light valve device" has been deleted and a --. - added.

Art Unit: 2851

In claim 36 ", in particular sequences thereof or movies " has been deleted.

## Allowable Subject Matter

- 2. Claims 21-37 are allowed.
- 3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to William C. Dowling whose telephone number is 571-272-2116. The examiner can normally be reached on MON-TUES, THURS-FRI.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Judy Nguyen be reached on 571-272-2258. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2851

Information regarding the status of an application may be obtained from the Patent Application Information

Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business

Center (EBC) at 866-217-9197 (toll-free)

William C. Dowling Primary Examiner Art Unit 2851

wcd